

Images in clinical medicine



Iris coloboma

Karim Amhoud, Amina Berraho

Corresponding author: Karim Amhoud, Service d'Ophtalmologie B, Hôpital des Spécialités, Faculté de Médecine et de Pharmacie, Université Mohammed V, Rabat, Maroc. karim.amhoud1234@gmail.com

Received: 13 Jun 2020 - **Accepted:** 24 Jul 2020 - **Published:** 05 Aug 2020

Keywords: Coloboma, iris, congenital

Copyright: Karim Amhoud et al. PAMJ Clinical Medicine (ISSN: 2707-2797). This is an Open Access article distributed under the terms of the Creative Commons Attribution International 4.0 License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Cite this article: Karim Amhoud et al. Iris coloboma. PAMJ Clinical Medicine. 2020;3(160). [10.11604/pamj-cm.2020.3.160.24284](https://doi.org/10.11604/pamj-cm.2020.3.160.24284)

Available online at: <https://www.clinical-medicine.panafrican-med-journal.com//content/article/3/160/full>

Iris coloboma

Karim Amhoud^{1,&}, Amina Berraho¹

¹Service d'Ophtalmologie B, Hôpital des Spécialités, Faculté de Médecine et de Pharmacie, Université Mohammed V, Rabat, Maroc

[&]Corresponding author

Karim Amhoud, Service d'Ophtalmologie B, Hôpital des Spécialités, Faculté de Médecine et de Pharmacie, Université Mohammed V, Rabat, Maroc

Image in medicine

Coloboma is an eye abnormality that occurs during embryogenesis, it is a congenital defect typically presenting as a gap, hole or absent tissue in eye structures at a site consistent with aberrant closure of the optic fissure. It includes a spectrum of anomalies that ranges from iris coloboma to clinical anophthalmos. We report a case of a 63-years old female patient who suffered from bilateral progressing loss of visual acuity with no particular past medical history. The clinical examination found a typical inferonasal side iris coloboma and bilateral cataract without lens or zonular malformation. After the cataract cure, no chorioretinal or papillary involvement was found.



Figure 1: image showing bilateral infero-nasal iris coloboma